

ተገ 000652 ተ ሠ ሂ ሃ 2018-112

፩ ” ’

፪ ጋ ” ’ 2018 ፫ ፬ ፭ ”

፮

ሠ ሂ ሃ “ ሂ ” 2017 ም 2018
ም ሂ ሃ 2018

E

85.7% 'E~ ₯ 1,000 "H √ 'Y 14.3%

2. †

γ β "H

	2017 12 31	2018 11 31
αα	1,771,532.29	1,893,278.73
β̃	1,641,727.00	1,763,108.37
α̃ β̃	1,087,772.35	1,392,201.07
	276,364	326,596
γ αα	129,805.29	130,170.36

	85.7%	$\tilde{E}$	$\tilde{E}$	¥	1,000	H	V	Y	14.3%
		$\tilde{E}$	¥	6,000	H	V	Y		

Diagram illustrating the decomposition of the 15-dimensional representation of E_6 into irreducible representations of F_4 :

- $15 \rightarrow 26 + 26$ (where the 26s are representations of F_4)
- The 26 of F_4 (top) decomposes into $26 + 1$ (representations of E_6)
- The 26 of F_4 (bottom) decomposes into $26 + 1$ (representations of E_6)

2. $\vdash$

	2017 12 31	2018 11 30
●	111,689.76	119,201.36
●	114,023.91	122,030.05
● ●	104,023.91	122,030.05
	0.00	0.00
「 ●	-2,334.15	-2,828.69
-	2017 1 ~11	2018 1 ~11
~	0.00	11,908.21
≠	-1,296.74	-494.54
「 ≠	-1,037.63	-494.54

5

3. ||̣ Ġ æ

4. H.

$$\Psi$$

Ψ
 $\bar{G}$
 $\mathbb{F}$
 $\tilde{I}$
 $\tilde{E}$
 Ψ
2018

$$\bar{G} \quad \uparrow \quad \bar{E}^{\tilde{\alpha}} \quad \circ \quad \bar{B} \quad \bar{E}^{\tilde{\alpha}} \quad \vdash$$
$$\bar{U} \quad \bar{G} \quad \bar{\gamma} \quad \bar{\psi} \quad \bar{\gamma} \quad \bar{\neq} \quad \bar{=}$$

Ü Ẽ 2018 Ġ

$$\tilde{t} \quad \parallel \quad \tilde{E} \quad \perp \quad \bar{G} \quad \rho \quad \neg \quad \tilde{E}$$
$$\tilde{0} = \psi_{\tilde{0}} \quad \tilde{E} \neq \neq$$
$$\bar{G} \quad \bar{l} \quad \bar{G}$$

2018	6	30	'E [~]	ĩ	'E [~]	Ḡ	99.90
------	---	----	-----------------	---	-----------------	----	-------

$${}^{\infty}\mathcal{H} \vee {}^{\infty}\mathcal{E} \quad \Gamma^{\mathbf{qp}} \quad 264.08\%$$
$$\Vdash \tilde{E} \quad \tilde{V} \vdash \quad \tilde{I} \quad \bar{G} \tilde{I} \quad \infty =$$
 $\bar{G} \quad K \quad ,$

D

M $\tilde{E}$ 2017 $\Psi_{=}$ M E~ 2018 $\Psi_{=}$
$$M \quad E^{\sim} \quad \Psi \quad \Psi \quad \Psi$$

'E

M 'E^z

$$\Psi$$

2018 12 19